	CONNECTING CS INDUSTRIES INCONNECTING International and Part	PC, Bannockb	ourn, Illinois. A	All rights reserved u ntions.	nder both	This docume level parts, t	ent is a declarat	ion of the encompas	e substance sses all low	within the er level mat	manufacture erials for wh	er listed ite	m. Note: if nufacturer l	the item is an as has engineering	ssembly with lowe responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					eous Materia	als and Mfg Information				
Supplie	r Information														
Company name* Company unique ID				ique ID	Uniqu			Jnique ID Authority				Response Date*			
onsemi												2023-06-08			
Contact N	lame		Title - Contact				Phone - Contact*					Email - Contact*			
Product-l	Env-Stewards		Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com			
uthorize	ed Representative*		Title - Representative				Phone - Representative*				Email - Representative*				
Product-	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item FSBB15						Effective Date	ate Version Manufacturing Site		ing Site	W	eight*	UOM	Unit Type	
							2023-06-08 CPA			17342.395		mg	Each		
/Ianufa	cturing Proccess Informat	tion					-								
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 MS		L Rating	Peak Process Body Temperate		ure Max Time at Peak Temp		Temperatu	re Numbe	r of Reflow Cy	cles		
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		30 seco		second	s 3				
omments	5														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		mium (Cr6+), Polybrominated Biphenyls (Pl		dmium and quantity limit of 0.1% by mass (10 minated Diphenyl Ethers (PBDE), and Bis(2-et	
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).		
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the
Supplier Digital Signature	astislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	67.7	mg	Supplier	Silicon (Si)	7440-21-3		67.7	mg
Die Attach	31.399	mg	Supplier	Silver (Ag)	7440-22-4		0.942	mg
			Supplier	Tin (Sn)	7440-31-5		30.3	mg
			Supplier	Copper (Cu)	7440-50-8		0.157	mg
Die Attach Epoxy	0.495	mg	Supplier	Poly(oxypropylene)diamine	9046-10-0		0.0148	mg
			Supplier	Miscellaneous	Trade Secret		0.0247	mg
			Supplier	Silver (Ag)	7440-22-4		0.4208	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0346	mg
Die Attach Solder	9.701	mg	Supplier	Silver (Ag)	7440-22-4		0.2425	mg
			А	Lead (Pb)	7439-92-1	7a	8.9734	mg
			Supplier	Tin (Sn)	7440-31-5		0.4851	mg
Heat Sink	2720.0	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		979.2	mg
			Supplier	Copper (Cu)	7440-50-8		1740.7999	mg
Lead Frame	4318.38	mg	Supplier	Silver (Ag)	7440-22-4		1.47	mg
			Supplier	Iron (Fe)	7439-89-6		5.18	mg
			Supplier	Copper (Cu)	7440-50-8		4309.998	mg
			Supplier	Phosphorus (P)	7723-14-0		1.73	mg
Mold Compound-Black	10122.0	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		101.0001	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		1009.9995	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		101.0001	mg
			Supplier	Carbon Black (C)	1333-86-4		101.22	mg
			Supplier	Silica (SiO2)	14464-46-1		8808.7803	mg
Plating	53.3	mg	Supplier	Tin (Sn)	7440-31-5		53.3	mg
Wire Bond - Al	18.3	mg	Supplier	Aluminum (Al)	7429-90-5		18.3	mg
Wire Bond - Au	1.12	mg	Supplier	Gold (Au)	7440-57-5		1.12	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).