| ASSOCIATION CONNECTING<br>ELECTROMICS INDUSTRIES International and Pan- | C. Bannockb   | urn. Illinois. A    | ll rights reserved untions. | under both           | This docume<br>level parts, t | ent is a declara<br>the declaration                              | ion of the s<br>encompasse  | ubstances<br>es all lowe | within the<br>r level mat   | manufacture<br>erials for wh    | er listed iten<br>ich the mar | n. Note: i<br>nufacturer | f the item is an as<br>has engineering | sembly with low responsibility. |
|---|---|---------------------|-----------------------------|----------------------|-------------------------------|--|-----------------------------|--------------------------|-----------------------------|---------------------------------|-------------------------------|--------------------------|--|---------------------------------|
|   | IPC Web Site for Information on IPC-1752 Standard Form 7<br>http://www.ipc.org/IPC-175x Distrib |                     |                             |                      | *                             | Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materi |                             |                          |                             |                                 | ials and Mfg Information      |                          |  |                                 |
| Supplier Information  |   |                     |                             |                      |                               |  |                             |                          |                             |                                 |                               |                          |  |                                 |
| Company name* Company u   |   |                     | v unique ID                 |                      |                               | Unique ID Authority  |                             |                          |                             |                                 | Response Date*                |                          |  |                                 |
| nsemi   | semi  |                     |                             |                      |                               |  |                             |                          |                             |                                 | 2023-06-08                    |                          |  |                                 |
| Contact Name  | Title - Contact   |                     |                             |                      | Phone - Contact*              |  |                             |                          |                             |                                 | Email - Contact*              |                          |  |                                 |
| Product-Env-Stewards Product Envi                                       |   |                     | viro Compliance             |                      |                               | NA   |                             |                          |                             | Product-Env-Stewards@onsemi.com |                               |                          |  |                                 |
| Authorized Representative* Title - Representati                         |   |                     | intative J                  |                      | Phone - Representative*       |  |                             |                          | Email - Representative*     |                                 |                               |                          |  |                                 |
| Product-Env-Stewards Product E  |   |                     | ct Enviro Compliance        |                      |                               | NA   |                             |                          |                             | Product-Env-Stewards@onsemi.com |                               |                          |  |                                 |
| Requester Item Number   | Mfr Item Number   |                     | Mfr Item Name               |                      |                               | Effective Dat  | e Version                   | 1                        | Manufacturing Site          |                                 | W                             | eight*                   | UOM                                    | Unit Type                       |
|   | FAN542  | N5421BUCX 1.55A SMB |                             | 3C-500mA OTG         |                               | 2023-06-08   |                             | I                        | PBB                         |                                 | 4.1                           | 76279                    | mg                                     | Each                            |
| Aanufacturing Proccess Informati  | on  |                     |                             |                      |                               |  |                             |                          |                             |                                 |                               |                          |  |                                 |
| Terminal Plating / Grid Array Mat                                       | ay Material Terminal Base All   |                     | Alloy                       | J-STD-020 MSL Rating |                               | Peak Pro   | ak Process Body Temperature |                          | re Max Time at Peak Tempera |                                 | Гетрегаtur                    | e Numb                   | er of Reflow Cyc                       | cles                            |
| SnAgCu CU Alloy   |   |                     | 1                           |                      | 260                           |  | С                           | 30                       |                             | seconds                         | 3                             |                          |  |                                 |
| omments   |   |                     |                             |                      |                               |  |                             |                          |                             |                                 |                               |                          |  |                                 |
| vel 1 - maximum time at peak temperatur                                 | e during sol  | dering is 10-3      | 0 seconds                   |                      |                               |  |                             |                          |                             |                                 |                               |                          |  |                                 |
| or more information regarding material c                                | omposition  | please refer to     | page 3                      |                      |                               |  |                             |                          |                             |                                 |                               |                          |  |                                 |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP). |  |   |   |   |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>y others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the   | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and cc<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | ances per the definitio  | on above  | Supplier Acceptance                             | * Accepted  |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester  | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |   |   |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material     | Weight  | Unit of Measure | Level    | Substance  | CAS        | Exempt | Weight | Unit of Measure |
|--------------------------|---------|-----------------|----------|--|------------|--------|--------|-----------------|
| Backside Protection Film | 0.1197  | mg              | Supplier | Ortho Cresol Novolac Resin                             | 29690-82-2 |        | 0.025  | mg              |
|                          |         |                 | Supplier | Carbon Black (C)                                       | 1333-86-4  |        | 0.0022 | mg              |
|                          |         |                 | Supplier | Silica (SiO2)  | 14464-46-1 |        | 0.0674 | mg              |
|                          |         |                 | Supplier | 2,4,6-Tris[Bis(Methoxymethyl)Amino]-<br>1,3,5-Triazine | 3089-11-0  |        | 0.025  | mg              |
| Die                      | 2.83943 | mg              | Supplier | Silicon (Si)   | 7440-21-3  |        | 2.819  | mg              |
|                          |         |                 | Supplier | Aluminum (Al)  | 7429-90-5  |        | 0.0204 | mg              |
| Solder Ball              | 1.21676 | mg              | Supplier | Silver (Ag)  | 7440-22-4  |        | 0.0687 | mg              |
|                          |         |                 | Supplier | Tin (Sn)   | 7440-31-5  |        | 1.1407 | mg              |
|                          |         |                 | Supplier | Copper (Cu)  | 7440-50-8  |        | 0.0073 | mg              |
| Under Bump Metal         | 3.89E-4 | mg              | Supplier | Titanium (Ti)  | 7440-32-6  |        | 0.0003 | mg              |
|                          |         |                 | Supplier | Copper (Cu)  | 7440-50-8  |        | 0.0001 | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).